

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	109	715/758.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:19
L2	2417753	@ay<="1996"	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:19
L3	9	1 and 2	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:19
L5	1351	715/751-760.ccls. or 715/767.ccls.	US-PGPUB; USPAT	OR	OFF	2005/12/08 11:20
L6	115185	(top or front or foreground) with (window or screen)	US-PGPUB; USPAT	OR	ON	2005/12/08 11:31
L7	295	6 and 5	US-PGPUB; USPAT	OR	ON	2005/12/08 11:22
L8	77	7 and 2	US-PGPUB; USPAT	OR	ON	2005/12/08 11:22
L9	3392	(alert\$ or event or notif\$ or occurance or arriv\$) same 6	US-PGPUB; USPAT	OR	ON	2005/12/08 12:10
L10	15	8 and 9	US-PGPUB; USPAT	OR	ON	2005/12/08 11:24
L11	1263	((bring or brought) same 6) and 2	US-PGPUB; USPAT	OR	ON	2005/12/08 11:57
L12	10	11 and 5	US-PGPUB; USPAT	OR	ON	2005/12/08 11:32
L13	2674	((bring or brought) same 6)	US-PGPUB; USPAT	OR	ON	2005/12/08 11:38
L14	26	13 and 5	US-PGPUB; USPAT	OR	ON	2005/12/08 11:45
L15	448	"715"/\$.ccls. and 9 and 6	US-PGPUB; USPAT	OR	ON	2005/12/08 11:45
L16	70	15 and 13	US-PGPUB; USPAT	OR	ON	2005/12/08 11:46
L17	27	16 and 2	US-PGPUB; USPAT	OR	ON	2005/12/08 11:46
L19	12	11 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/08 11:57
L20	4121	((change or new) same 6) and 2	US-PGPUB; USPAT	OR	ON	2005/12/08 12:16
L21	15784	709/204-207.ccls. or 709/223-226. ccls.	US-PGPUB; USPAT	OR	ON	2005/12/08 12:13
L22	37621	709/204-207.ccls. or 709/223-226. ccls. or "715"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/08 12:13
L23	407	20 and 22	US-PGPUB; USPAT	OR	ON	2005/12/08 12:15
L24	377	23 not (10 or 16 or 17 or 19)	US-PGPUB; USPAT	OR	ON	2005/12/08 12:16

L25	187	((change or new) same 6 same automatic\$) and 2	US-PGPUB; USPAT	OR	ON	2005/12/08 12:17
L26	39	25 and 22	US-PGPUB; USPAT	OR	ON	2005/12/08 12:17
L27	6	("5455854" "5457738" "5533102" "5555297" "5675755" "5721849").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/08 12:19

IP.com
Prior Art Database

December 08, 2005

USPTO

Securing inn

Search

Full Text

Concept

Document ID

Recent Disclosures

Other

Prior Art Home

Support

Logout

Fingerprint Lookup

Lookup

Displaying records #1 through 10 out of 500

(search stopped at 500 hits)

Result # 1 Relevance:

Opening a 3D GL Window As a Child of a 2D X Window

1991-06-01

IPCOM000120919D

English (United

A 3D GL window is opened as a child of the root window on the X server. This implies that the v opened has no parent. In order to supply a parent to a 3D GL window, a parentless 3D window exist.

Result # 2 Relevance:

Simple Method of Directly Accessing Stacked Workstation Windows

1993-05-01

IPCOM000104678D

English (United

A method for accessing stacked workstation windows is disclosed. By clicking on the window titl and moving the mouse, covered windows can be exposed and reordered. The title bar will also indicate the number of obscured windows.

Result # 3 Relevance:

See-Through Window

1994-05-01

IPCOM000112388D

English (United

A disclosed mechanism is for displaying information hidden behind an overlapping window in wi applications.

Result # 4 Relevance:

Pop-Up Window Shadow

1991-11-01

IPCOM000122127D

English (United

When using a software application, a small pop-up window sometimes appears on top of the cu window. This pop-up window often contains a short message or requests the user to enter som information. By overlaying the user's current window, the pop-up window changes the ...

Result # 5 Relevance:

Window Indexing

1989-02-01

IPCOM000037480D

English (United

Provided is a technique for indexing windows that are open to overcome problems with current windowing systems which overlay open windows and obstruct view limiting access to hidden wi

Result # 6 Relevance:

Method to Allow Users to Select Transparent Color for Windows

1993-03-01

IPCOM000104276D

English (United

A method for selecting a window to have a transparent background is disclosed. The transparer background allows view of windows layered beneath it.

Result # 7 Relevance:

Focus Ratio for Windows

1992-09-01

IPCOM000109677D

English (United

A method for sizing windows based on their current state is disclosed. When a window goes fro active state (in focus) to the inactive state (out of focus), its size is reduced by a predetermine When a non-active window is made active, it is enlarged by the ...

Result # 8 Relevance: **Roving Title Bar**

1993-08-01

IPCOM000105482D

English (United

When a user's electronic desktop becomes busy and cluttered with multiple icons and windows, lack of available screen real estate makes it very difficult to navigate between various sessions windows because some windows become hidden behind other windows. Current art ...

Result # 9 Relevance: **Reference Windowing System**

1989-04-01

IPCOM000037602D

English (United

Provided is a technique for creating and interacting with windows providing reference information other windows in order to overcome the difficulties of current window techniques.

Result # 10 Relevance: **Algorithm for Optimum Window Positioning**

1990-01-01

IPCOM000099453D

English (United

An algorithm is disclosed to optimally position a window on a display screen when it is first displayed so as to minimize the need of a user to adjust it upon its first appearance. OVERVIEW

Displaying page 1 of 50 << FIRST | < BACK | NEXT > | LAST >>

Search query: automatically bring a window to the top

Published Before: 9-30-1996 (Original publication date)

[New search](#) | [Modify this search](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | [Privacy S](#)